ELSEVIER

Journal of Organometallic Chemistry 495 (1995) C19

Journal of Organometallic Chemistry

Author Index of Volume 495

Adams, H., 215
Anisimov, A.V., 131

Bailey, N.A., 215
Benson, J.W., 77
Berke, H., 113
Bott, S.G., 61
Bruce, M.I., 141
Bukowska-Strzyżewska, M., 83

Cody, J.A., 33
Coin, C., 91
Coville, N.J., 41

Dahlenburg, L., 113
Das, M.K., 177
De, S., 177
Don, M.-J., 61
Downs, A.J., 149, 163
Dümichen, U., 71
Du Plooy, K.E., 195

Egorov, A.M., 131
Ellermann, J., C6
Eremenko, I.L., 113

Forniés, J., 185

Gelbrich, T., 71
Greene, T.M., 149, 163

Herrmann, W.A., 209
Heuer, L., 53
Hinchliffe, J.R., 141
Holloway, C.E., 1
Hong, F.-E., 97

Karet, G.B., 33
Keiter, E.A., 77
Keiter, R.L., 77
Knoch, F.A., C6
Kociok-Köhn, G., C12
Köhler, K., 135
Kühn, F.E., 209

Lang, H., 135
Lange, S.J., 33
Lin, C.-C., 97
Lin, G., 203
Lo, S.-C., 97
Lue, I.-R., 97

Marshall, A.S., 149, 163
Martínez, F., 185
Melník, M., 1
Milner, D., 215
Misiak, H., 127
Moll, M., C6
Muller, G., 103

Navarro, R., 185

Okuda, J., 195
Orsini, F., C1

Pell, M.A., 33
Pietsch, J., 113
Pohl, D., C6
Pulici, M., C1

Ramsden, J.A., 215
Richmond, M.G., 61
Romão, C.C., 209
Rosenthal, E.C.E., C12

Sainz, D., 103
Santelli, M., 91
Santelli-Rouvier, C., 91
Schiemenz, B., 135
Schomburg, D., 53
Schumann, H., C12
Sharma, D.K., 61
Shriver, D.F., 33
Sieler, J., 71
Skelton, B.W., 141
Slebodnick, C., 33
Stern, C.L., 33
Szymańska-Buzar, T., 149, 163

Taverner, B.C., 41
Thiele, K.-H., 71
Toscano, P.J., 195
Tosik, A., 83
Toupet, L., 91

Urriolabeitia, E.P., 185

Vallarino, L.M., C1

Wadé, P.W., 41
Weber, L., 127
White, A.H., 141
White, C., 215
White, D., 41
Winterfeld, J., C12
Wolski, A., 113
Wong, W.-T., 203

Yang, K., 61

Zakrzewski, J., 83

ELSEVIER

Journal of Organometallic Chemistry 495 (1995) C21–C25

Journal of Organometallic Chemistry

Subject Index of Volume 495

Acetylacetonate-C^{γ} complexes
Synthesis and reactivity of acetylacetonato-C^{γ} complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of $[Pd(C_6F_5)(OOCPh)(bipy)] \cdot CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185

Alanes
Darstellung und Molekülstruktur von Bis(3-dimethylaminopropylalan) (U. Dümichen, K.-H. Thiele, T. Gelbrich und J. Sieler), 71

Alkinylrhenium(VII)-oxide
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLVIII. Alkinylrhenium(VII)-oxide—Synthese, Eigenschaften und Abbaureaktionen (W.A. Herrmann, F.E. Kühn und C.C. Romão), 209

Alkyl
Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195

Alkyne
Lewis-Basen Addukte monomerer Bis(η^2-alkin)$Ag^{I}X$-Verbindungen (X = BF_4 oder OSO_2CF_3) (H. Lang, K. Köhler und B. Schiemenz), 135

Alkyne ligands
Cluster chemistry. Part 97. Some unusual complexes obtained from reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ and C_7 or C_8 hydrocarbons (M.I. Bruce, J.R. Hinchliffe, B.W. Skelton and A.H. White), 141

Alkynes
Matrix-isolation studies of alkyne complexes in the photochemical reactions of $Mo(CO)_6$ with alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 149
The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163

Aluminium
Darstellung und Molekülstruktur von Bis(3-dimethylaminopropylalan) (U. Dümichen, K.-H. Thiele, T. Gelbrich und J. Sieler), 71

Amide
Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von $[Co^{+1}(CO)_2\{Ph_2P{\sim}N{\sim}P(O)Ph_2^{\ominus}\text{-}P\}\text{-}(Ph_2P\text{–}NH\text{–}PPh_2)] \cdot 2\ CH_3OH$ (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6

Amine
Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von $[Co^{+1}(CO)_2\{Ph_2P{\sim}N{\sim}P(O)Ph_2^{\ominus}\text{-}P\}\text{-}(Ph_2P\text{–}NH\text{–}PPh_2)] \cdot 2\ CH_3OH$ (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6

Arsenic ligands
Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41

Benzoferrylphosphine complex
Synthesis of the tertiaryphosphine derivatives of iron carbonyl phosphines: preparation of tetracarbonyl[tris(2-furyl)phosphine]iron(0), pentacarbonylbis[μ-bis(2-furyl)phosphido]-[tris(2-furyl)phosphine]diiron(0), tetracarbonyl[tris(2-benzofuryl)phosphine]iron(0) and pentacarbonylbis[μ-bis(2-benzofuryl)phosphido]-[tris(2-benzofuryl)phosphine]diiron-(0) (C. Santelli-Rouvier, C. Coin, L. Toupet and M. Santelli), 91

Bifunctional ligands
Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von $[Co^{+1}(CO)_2\{Ph_2P{\sim}N{\sim}P(O)Ph_2^{\ominus}\text{-}P\}\text{-}(Ph_2P\text{–}NH\text{–}PPh_2)] \cdot 2\ CH_3OH$ (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6

Bis(bis(tert.-butyl)fluorophosphine)-deca(carbonyl)-triosmium(0)
$^{t}Bu_2PF$ as a ligand in tri-osmium clusters (L. Heuer and D. Schomburg), 53

Bis(diphenylphosphino)methane
On the synthesis and $^{31}P\{^{1}H\}$ NMR spectrum of $(CO)_5W(\mu\text{-}PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77

Bis(tert.-butyl)fluorophosphine
$^{t}Bu_2PF$ as a ligand in tri-osmium clusters (L. Heuer and D. Schomburg), 53

Carbon monoxide
Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33

Carbonyl
Cluster chemistry. Part 97. Some unusual complexes obtained from reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ and C_7 or C_8 hydrocarbons (M.I. Bruce, J.R. Hinchliffe, B.W. Skelton and A.H. White), 141
Koordinationschemie funktioneller Phosphine. II. Carbonyl(nitrosyl)wolfram-Komplexe mit 2-Diphenylphosphinoanisol sowie 2-Diphenylphosphinoanilid, -benzoat und -phenolat als Liganden (J. Pietsch, L. Dahlenburg, A. Wolski, H. Berke und I.L. Eremenko), 113
Matrix-isolation studies of alkyne complexes in the photochemical reactions of $Mo(CO)_6$ with alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 149
On the synthesis and $^{31}P\{^{1}H\}$ NMR spectrum of $(CO)_5W(\mu\text{-}PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77
Photochemical reaction of (η^5-cyclopentadienyl) dicarbonyliron iodide with 1-substituted uracils in the presence of diisopropylamine: crystal structure of the $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ complex of deprotonated 5-fluoro-1-(tetrahydro-2-furyl)uracil (Ftorafur) (J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 83

Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33

The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163

Carbonyls

Synthesis of the tertiaryphosphine derivatives of iron carbonyl phosphines: preparation of tetracarbonyl[tris(2-furyl)phosphine]iron(0), pentacarbonylbis[μ-bis(2-furyl)phosphido]-[tris(2-furyl)phosphine]diiron(0), tetracarbonyl[tris(2-benzofuryl)phosphine]iron(0) and pentacarbonylbis[μ-bis(2-benzofuryl)phosphido]-[tris(2-benzofuryl)phosphine]diiron-(0) (C. Santelli-Rouvier, C. Coin, L. Toupet and M. Santelli), 91

Carboxylate

Synthesis and reactivity of acetylacetonato-C^{γ} complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of $[Pd(C_6F_5)(OOCPh)(bipy)] \cdot CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185

Catalysis

Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of $[Rh\{\eta^5\text{-}C_5Ph_4CH(Me)Ph\}(cod)]$ (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215

Chirality

Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of $[Rh\{\eta^5\text{-}C_5Ph_4CH(Me)Ph\}(cod)]$ (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215

Cobalt

Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von $[Co^{+1}(CO)_2\{Ph_2P{\sim}N{\sim}P(O)Ph_2^{\ominus}\text{–}P\}(Ph_2P\text{–}NH\text{–}PPh_2)] \cdot 2\ CH_3OH$ (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6

Low-valent complexes of cobalt and phosphorus donor ligands as mediators in Reformatsky-type reactions (F. Orsini, M. Pulici und L.M. Vallarino), C1

Reactions of molybdenum–cobalt complex with phenylacetylene: X-ray crystal structure of $[MoCo(CO)_4\{CPhCHCHCPh\}(\eta^5\text{-}C_5H_5)]$ (F.-E. Hong, I.-R. Lue, S.-C. Lo and C.-C. Lin), 97

Cone angles

Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41

Coupling constants

On the synthesis and $^{31}P\{^1H\}$ NMR spectrum of $(CO)_5W(\mu\text{-}PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77

Crystal structure

Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von $[Co^{+1}(CO)_2\{Ph_2P{\sim}N{\sim}P(O)Ph_2^{\ominus}\text{–}P\}(Ph_2P\text{–}NH\text{–}PPh_2)] \cdot 2\ CH_3OH$ (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6

Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of $[Rh\{\eta^5\text{-}C_5Ph_4CH(Me)Ph\}(cod)]$ (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215

Cluster chemistry. Part 97. Some unusual complexes obtained from reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ and C_7 or C_8 hydrocarbons (M.I. Bruce, J.R. Hinchliffe, B.W. Skelton and A.H. White), 141

Metallorganische Verbindungen der Lanthanoide. XCVIII. Synthese und Strukturaufklärung von Dichloro(η^5-2,5-di-tert.-butylpyrrolyl)bis(tetrahydrofuran)ytterbium(III) (H. Schumann, E.C.E. Rosenthal, J. Winterfeld und G. Kociok-Köhn), C12

Photochemical reaction of (η^5-cyclopentadienyl) dicarbonyliron iodide with 1-substituted uracils in the presence of diisopropylamine: crystal structure of the $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ complex of deprotonated 5-fluoro-1-(tetrahydro-2-furyl)uracil (Ftorafur) (J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 83

Synthesis and crystal structure of $[(\eta^5\text{:}\eta^5\text{-}C_5H_4PPh_2)Tl]_{\infty}$ and the divalent ytterbium derivative $[(\eta^5\text{-}C_5H_4PPh_2)_2Yb(DME)]$ (G. Lin and W.-T. Wong), 203

Cycloheptatriene

Cluster chemistry. Part 97. Some unusual complexes obtained from reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ and C_7 or C_8 hydrocarbons (M.I. Bruce, J.R. Hinchliffe, B.W. Skelton and A.H. White), 141

Cyclopentadienyl

Photochemical reaction of (η^5-cyclopentadienyl) dicarbonyliron iodide with 1-substituted uracils in the presence of diisopropylamine: crystal structure of the $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ complex of deprotonated 5-fluoro-1-(tetrahydro-2-furyl)uracil (Ftorafur) (J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 83

Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195

Synthesis and crystal structure of $[(\eta^5\text{:}\eta^5\text{-}C_5H_4PPh_2)Tl]_{\infty}$ and the divalent ytterbium derivative $[(\eta^5\text{-}C_5H_4PPh_2)_2Yb(DME)]$ (G. Lin and W.-T. Wong), 203

Cyclopentadienyl derivatives

Synthesis and reactivity investigation of iridium maleonitriledithiolate complexes. Redox studies and extended Hückel molecular orbital calculations on $Cp^*IrL(mnt)$ (where $L = PMe_3$, PPh_3, CN-t-Bu) (K. Yang, M.-J. Don, D.K. Sharma, S.G. Bott and M.G. Richmond), 61

Decomposition

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLVIII. Alkinylrhenium(VII)-oxide—Synthese, Eigenschaften und Abbaureaktionen (W.A. Herrmann, F.E. Kühn und C.C. Romão), 209

Diazomethane

Übergangsmetall-substituierte Diphosphene. XXXVI. Cyclopropanierung der P=P-Bindung in den [3 + 2]-Cycloaddukten aus Metallodiphosphenen und Hexafluoraceton, $(\eta^5\text{-}C_5R_5)(CO)M\text{–}P(=PMes^*)OC(CF_3)_2C(O)$ (M = Fe; $R_5 = Me_4Et$) (M = Ru; $R_5 = Me_5$) (L. Weber und H. Misiak), 127

Dibutyltin(V)

Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177

Dihydroxamic acids

Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177

Dinuclear

Synthesis of the tertiaryphosphine derivatives of iron carbonyl phosphines: preparation of tetracarbonyl[tris(2-furyl)phosphine]iron(0), pentacarbonylbis[μ-bis(2-furyl)phosphido]-[tris(2-furyl)phosphine]diiron(0), tetracarbonyl[tris(2-benzofuryl)phosphine]iron(0) and pentacarbonylbis[μ-bis(2-benzofuryl)phosphido]-[tris(2-benzofuryl)phosphine]diiron-(0) (C. Santelli-Rouvier, C. Coin, L. Toupet and M. Santelli), 91

Diphenyltin(IV)

Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177

Ditertiary phosphines

On the synthesis and $^{31}P\{^1H\}$ NMR spectrum of $(CO)_5W(\mu\text{-}PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77

Electrochemistry

Synthesis and reactivity investigation of iridium maleonitriledithiolate complexes. Redox studies and extended Hückel molecular orbital calculations on $Cp^*IrL(mnt)$ (where $L = PMe_3$, PPh_3, CN-t-Bu) (K. Yang, M.-J. Don, D.K. Sharma, S.G. Bott and M.G. Richmond), 61

Group 4
Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195

Hexafluoroacetone adducts
Übergangsmetall-substituierte Diphosphene. XXXVI. Cyclopropanierung der P=P-Bindung in den [3 + 2]-Cycloaddukten aus Metallodiphosphenen und Hexafluoraceton, $(\eta^5\text{-}C_5R_5)(CO)\overline{M\text{–}P(=PMes^*)OC(CF_3)_2C(O)}$ (M = Fe; $R_5 = Me_4Et$) (M = Ru; $R_5 = Me_5$) (L. Weber und H. Misiak), 127
Hückel molecular orbital calculations
Synthesis and reactivity investigation of iridium maleonitriledithiolate complexes. Redox studies and extended Hückel molecular orbital calculations on $Cp^*IrL(mnt)$ (where L = PMe_3, PPh_3, CN-t-Bu) (K. Yang, M.-J. Don, D.K. Sharma, S.G. Bott and M.G. Richmond), 61
Hydrogenation
Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of $[Rh\{\eta^5\text{-}C_5Ph_4CH(Me)Ph\}(cod)]$ (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215
Hydroxyethylphosphines
Synthesis of monohydroxy -methyl- and -ethyl-phosphines PPh_2CHROH (G. Muller and D. Sainz), 103
Hydroxymethylphosphines
Synthesis of monohydroxy -methyl- and -ethyl-phosphines PPh_2CHROH (G. Muller and D. Sainz), 103

Infrared spectroscopy
Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177
The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163
Iridium
Synthesis and reactivity investigation of iridium maleonitriledithiolate complexes. Redox studies and extended Hückel molecular orbital calculations on $Cp^*IrL(mnt)$ (where L = PMe_3, PPh_3, CN-t-Bu) (K. Yang, M.-J. Don, D.K. Sharma, S.G. Bott and M.G. Richmond), 61
Iron
Photochemical reaction of (η^5-cyclopentadienyl) dicarbonyliron iodide with 1-substituted uracils in the presence of diisopropylamine: crystal structure of the $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ complex of deprotonated 5-fluoro-1-(tetrahydro-2-furyl)uracil (Ftorafur) (J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 83
Synthesis of the tertiaryphosphine derivatives of iron carbonyl phosphines: preparation of tetracarbonyl[tris(2-furyl)phosphine]iron(0), pentacarbonylbis[μ-bis(2-furyl)phosphido]-[tris(2-furyl)phosphine]diiron(0), tetracarbonyl[tris(2-benzofuryl)phosphine]iron(0) and pentacarbonylbis[μ-bis(2-benzofuryl)phosphido]-[tris(2-benzofuryl)phosphine]diiron-(0) (C. Santelli-Rouvier, C. Coin, L. Toupet and M. Santelli), 91

Lewis base adducts
Lewis-Basen Addukte monomerer Bis(η^2-alkin)Ag^1X-Verbindungen (X = BF_4 oder OSO_2CF_3) (H. Lang, K. Köhler und B. Schiemenz), 135

Magnesium
Reaction of magnesium with benzyl halides in an optically active solvent (A.M. Egorov and A.V. Anisimov), 131
Maleonitriledithiolate complexes
Synthesis and reactivity investigation of iridium maleonitriledithiolate complexes. Redox studies and extended Hückel molecular orbital calculations on $Cp^*IrL(mnt)$ (where L = PMe_3, PPh_3, CN-t-Bu) (K. Yang, M.-J. Don, D.K. Sharma, S.G. Bott and M.G. Richmond), 61
Matrix isolation
Matrix-isolation studies of alkyne complexes in the photochemical reactions of $Mo(CO)_6$ with alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 149
Metal clusters
Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33
Metallocenes
Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195
Metallodiphosphene
Übergangsmetall-substituierte Diphosphene. XXXVI. Cyclopropanierung der P=P-Bindung in den [3 + 2]-Cycloaddukten aus Metallodiphosphenen und Hexafluoraceton, $(\eta^5\text{-}C_5R_5)(CO)\overline{M\text{–}P(=PMes^*)OC(CF_3)_2C(O)}$ (M = Fe; $R_5 = Me_4Et$) (M = Ru; $R_5 = Me_5$) (L. Weber und H. Misiak), 127
Molecular mechanics calculation
Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41
Molybdenum
Matrix-isolation studies of alkyne complexes in the photochemical reactions of $Mo(CO)_6$ with alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 149
Reactions of molybdenum–cobalt complex with phenylacetylene: X-ray crystal structure of $[MoCo(CO)_4\{CPhCHCHCPh\}(\eta^5\text{-}C_5H_5)]$ (F.-E. Hong, I.-R. Lue, S.-C. Lo and C.-C. Lin), 97

Nitrosyl
Koordinationschemie funktioneller Phosphine. II. Carbonyl(nitrosyl)-wolfram-Komplexe mit 2-Diphenylphosphinoanisol sowie 2-Diphenylphosphinoanilid, -benzoat und -phenolat als Liganden (J. Pietsch, L. Dahlenburg, A. Wolski, H. Berke und I.L. Eremenko), 113
P-31 NMR
On the synthesis and $^{31}P\{^1H\}$ NMR spectrum of $(CO)_5W(\mu\text{-}PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77
NMR spectroscopy
Darstellung und Molekülstruktur von Bis(3-dimethylaminopropylalan) (U. Dümichen, K.-H. Thiele, T. Gelbrich und J. Sieler), 71
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLVIII. Alkinylrhenium(VII)-oxide—Synthese, Eigenschaften und Abbaureaktionen (W.A. Herrmann, F.E. Kühn und C.C. Romão), 209
Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177

Optical activity
Reaction of magnesium with benzyl halides in an optically active solvent (A.M. Egorov and A.V. Anisimov), 131

Palladium
Synthesis and reactivity of acetylacetonato-C^γ complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of $[Pd(C_6F_5)(OOCPh)(bipy)] \cdot CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185
Pentachlorophenyl
Synthesis and reactivity of acetylacetonato-C^γ complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of $[Pd(C_6F_5)(OOCPh)$-

(bipy)] · $CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185

Pentafluorophenyl
Synthesis and reactivity of acetylacetonato-C^γ complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of [Pd(C_6F_5)-(OOCPh)(bipy)] · $CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185

Phosphine
Chemie polyfunktioneller Moleküle. CXVII. Synthese und Molekülstruktur von [$Co^{+1}(CO)_2${$Ph_2P{=}N{=}P(O)Ph_2^{\ominus}$–$P$}-($Ph_2$P–NH–$PPh_2$)] · 2 CH_3OH (D. Pohl, J. Ellermann, F.A. Knoch and M. Moll), C6
Koordinationschemie funktioneller Phosphine. II. Carbonyl(nitrosyl)-wolfram-Komplexe mit 2-Diphenylphosphinoanisol sowie 2-Diphenylphosphinoanilid, -benzoat und -phenolat als Liganden (J. Pietsch, L. Dahlenburg, A. Wolski, H. Berke und I.L. Eremenko), 113

Phosphine complexes
Low-valent complexes of cobalt and phosphorus donor ligands as mediators in Reformatsky-type reactions (F. Orsini, M. Pulici und L.M. Vallarino), C1

Phosphorus
Synthesis of monohydroxy -methyl- and -ethyl-phosphines PPh_2CHROH (G. Muller and D. Sainz), 103

Phosphorus ligands
Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41

Photolysis
Matrix-isolation studies of alkyne complexes in the photochemical reactions of $Mo(CO)_6$ with alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 149

Platinum
Synthesis and reactivity of acetylacetonato-C^γ complexes of M^{II} (M = Pd or Pt): X-ray crystal structure of [Pd(C_6F_5)-(OOCPh)(bipy)] · $CHCl_3$ (J. Forniés, F. Martínez, R. Navarro and E.P. Urriolabeitia), 185

Polymerization of alkynes
The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163

Preparative methods
Synthesis of monohydroxy -methyl- and -ethyl-phosphines PPh_2CHROH (G. Muller and D. Sainz), 103

Raman spectroscopy
Studies on the diorganotin(IV) complexes of some dihydroxamic acids (M.K. Das and S. De), 177

Reformatsky reaction
Low-valent complexes of cobalt and phosphorus donor ligands as mediators in Reformatsky-type reactions (F. Orsini, M. Pulici und L.M. Vallarino), C1

Rhenium
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLVIII. Alkinylrhenium(VII)-oxide—Synthese, Eigenschaften und Abbaureaktionen (W.A. Herrmann, F.E. Kühn und C.C. Romão), 209

Rhodium
Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of [Rh{η^5-$C_5Ph_4CH(Me)Ph$}(cod)] (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215

Ruthenium
Cluster chemistry. Part 97. Some unusual complexes obtained from reactions of $Ru_3(\mu$-dppm)$(CO)_{10}$ and C_7 or C_8 hydrocarbons (M.I. Bruce, J.R. Hinchliffe, B.W. Skelton and A.H. White), 141
Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33

Silver
Lewis-Basen Addukte monomerer Bis(η^2-alkin)Ag^1X-Verbindungen (X = BF_4 oder OSO_2CF_3) (H. Lang, K. Köhler und B. Schiemenz), 135

Solid angles
Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41

Steric size
Solid angles. III. The role of conformers in solid angle calculations (D. White, B.C. Taverner, N.J. Coville and P.W. Wade), 41

Sulfur dioxide
Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33

Synthesis
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLVIII. Alkinylrhenium(VII)-oxide—Synthese, Eigenschaften und Abbaureaktionen (W.A. Herrmann, F.E. Kühn und C.C. Romão), 209

Tetraphenylcyclopentadienyl
Chiral tetraphenylcyclopentadienyl complexes of rhodium: synthesis and crystal structure of [Rh{η^5-$C_5Ph_4CH(Me)Ph$}(cod)] (J.A. Ramsden, D. Milner, H. Adams, N.A. Bailey and C. White), 215

Thallium
Synthesis and crystal structure of $[(\eta^5{:}\eta^5\text{-}C_5H_4PPh_2)Tl]_\infty$ and the divalent ytterbium derivative $[(\eta^5\text{-}C_5H_4PPh_2)_2Yb(DME)]$ (G. Lin and W.-T. Wong), 203

Titanium
Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195

Triflate
Synthesis and characterization of titanium complexes containing the 1-(3-butenyl)-2,3,4,5-tetramethylcyclopentadienyl ligand (J. Okuda, K.E. Du Plooy and P.J. Toscano), 195

Tungsten
Koordinationschemie funktioneller Phosphine. II. Carbonyl(nitrosyl)-wolfram-Komplexe mit 2-Diphenylphosphinoanisol sowie 2-Diphenylphosphinoanilid, -benzoat und -phenolat als Liganden (J. Pietsch, L. Dahlenburg, A. Wolski, H. Berke und I.L. Eremenko), 113
On the synthesis and $^{31}P\{^1H\}$ NMR spectrum of $(CO)_5W(\mu$-$PPh_2CH_2PPh_2)W(CO)_5$ (J.W. Benson, E.A. Keiter and R.L. Keiter), 77
The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163

Uracils
Photochemical reaction of (η^5-cyclopentadienyl) dicarbonyliron iodide with 1-substituted uracils in the presence of diisopropylamine: crystal structure of the $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ complex of deprotonated 5-fluoro-1-(tetrahydro-2-furyl)uracil (Ftorafur) (J. Zakrzewski, A. Tosik and M. Bukowska-Strzyżewska), 83

Vinylidene
The photochemical behaviour of matrix-isolated $W(CO)_6$ in the presence of alkynes (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and A.S. Marshall), 163

X-ray diffraction
Darstellung und Molekülstruktur von Bis(3-dimethylaminopropylalan) (U. Dümichen, K.-H. Thiele, T. Gelbrich und J. Sieler), 71
Koordinationschemie funktioneller Phosphine. II. Carbonyl(nitrosyl)-wolfram-Komplexe mit 2-Diphenylphosphinoanisol sowie 2-Diphenylphosphinoanilid, -benzoat und -phenolat als Liganden (J. Pietsch, L. Dahlenburg, A. Wolski, H. Berke und I.L. Eremenko), 113
X-ray structure
Lewis-Basen Addukte monomerer Bis(η^2-alkin)Ag^IX-Verbindungen (X = BF_4 oder OSO_2CF_3) (H. Lang, K. Köhler und B. Schiemenz), 135
Substitution of SO_2 for CO in triruthenium carbonyl anions (G.B. Karet, C.L. Stern, J.A. Cody, S.J. Lange, M.A. Pell, C. Slebodnick and D.F. Shriver), 33
Synthesis of the tertiaryphosphine derivatives of iron carbonyl phosphines: preparation of tetracarbonyl[tris(2-furyl)phosphine]iron(0), pentacarbonylbis[μ-bis(2-furyl)phosphido]-[tris(2-furyl)phosphine]diiron(0), tetracarbonyl[tris(2-benzofuryl)phosphine]iron(0) and pentacarbonylbis[μ-bis(2-benzofuryl)phosphido]-[tris(2-benzofuryl)phosphine]diiron-(0) (C. Santelli-Rouvier, C. Coin, L. Toupet and M. Santelli), 91
Ytterbium
Metallorganische Verbindungen der Lanthanoide. XCVIII. Synthese und Strukturaufklärung von Dichloro(η^5-2,5-di-tert.-butylpyrrolyl)bis(tetrahydrofuran)ytterbium(III) (H. Schumann, E.C.E. Rosenthal, J. Winterfeld und G. Kociok-Köhn), C12
Synthesis and crystal structure of $[(\eta^5{:}\eta^5\text{-}C_5H_4PPh_2)Tl]_\infty$ and the divalent ytterbium derivative $[(\eta^5\text{-}C_5H_4PPh_2)_2Yb(DME)]$ (G. Lin and W.-T. Wong), 203